

SCOUR-EX

agilis

Scour-Ex

Scour-Ex is a scientifically formulated replenishing, dietetic feeding stuff, designed to assist in the management of water, electrolytes and essential minerals during nutritional stress in cattle, pigs, horses, sheep and other farm animals.

Scour-Ex contains natural fibres, prebiotic, nucleotides and easily absorbed glucose, complex carbohydrates, 1, 2 - Propandiol and easily absorbed fatty acids.

- **ENERGY:** 4 types of energy giving ingredients to help replenish critical energy reserves.
- **PREBIOTICS:** Which have been shown to enhance the natural gut micro flora profile.
- **ELECTROLYTES:** Promotes the absorption of electrolytes and glucose compounds thus adding fluid balance.
- **NATURAL FIBRES:** Help to retain more fluids in the body/gut and protect the gut from further damage.
- **NUCLEOTIDES:** To encourage natural immunity, villi function and condition and mucosal integrity for more efficient nutrient absorption.
- **VITAMINS A & E:** Enhance immune function.
- **ZINC & COPPER:** Replenish minerals lost.
- Assists in reducing the frequency and severity of digestive stress conditions and a nutritional aid to help reduce the duration, frequency and severity of nutritional digestive stress conditions.

Composition:

Natural Muco-polysaccharides, Prebiotics, Bicarbonate Salt, Citrate Salt, Sodium Salt, Potassium Salt, Flavours, four different energy sources, Nucleotides, Glutamine, Vitamin A: 250,000iu/Kg, Vitamin E: 40,000mg/Kg, Zinc: 2000mg/Kg and Copper: 200mg/Kg.

ASSISTS WITH WATER
MANAGEMENT, ELECTROLYTES
AND ESSENTIAL MINERALS



Application:

Immediately before feeding, dilute 50g (1 scoop or 1 sachet) of Scour-Ex into 1 litre of clean, warm water or milk and feed to the animal via a stomach tube, bottle or teat and repeat if required, once again later in the day. Do not feed more than two doses per animal. If condition persists consult your veterinary surgeon.

- **Adult Cattle and Horses:** 50g immediately and again once later in the day, if required.
- **Calves and Foals:** 50g immediately and again once later in the day, if required.
- **Pigs (Adult):** 50g immediately and again once later in the day, if required.
- **Piglets:** 10g immediately and again once later in the day, if required.
- **Sheep/Goats:** Adult: 50g immediately and again once later in the day, if required.
- **Lambs/Kids:** 10g immediately and again once later in the day, if required.

Do not use water above 40-50° C.

No need to withdraw milk from calf, pig or foal.

No meat or milk withholding period.

Pack size: 50g sachets, 500g, 1250g bucket.

Storage and Special Precautions:

Store in cool dry place out of direct sunlight between 5-25° C in the original container. Reseal inner bag after use.

Seek veterinary advice if condition does not improve. Do not store mixed product for more than 12 hours. Mix only the amount required at any time. Do not feed more than 3-4 feeds. Keep out of reach of children.

